

STAND-ON LEAF BLOWER

KUTTER®



BLOW TOUGH JOBS AWAY

Liaocheng JADE Outdoor Power Equipment Co., Ltd



STAND-ON LEAF BLOWER

All Day Performance

A control switch on the handle effortlessly adjusts the blower's airflow direction, while a convenient handlebar activates the forward and reverse functions. Gear shifting is completely unnecessary, ensuring smooth and continuous operation. A built-in safety system automatically stops the machine and retracts the blower head whenever the safety bar is released, providing maximum user protection.

With the STB18 and STB18.1, you can clear vast areas in just one day, thanks to their powerful airflow and wide working range. The large impeller diameter and high air velocity make debris collection easier and less labor-intensive, saving you valuable time and effort. Experience all-day performance with our top-of-the-line blowers.

Pure Innovation

Our STB18 and STB18.1 blowers feature a unique design that places the wheels in front of the impeller head, ensuring that the powerful airflow is not obstructed or weakened by any interference. This innovative placement guarantees maximum efficiency and prevents any disruption to the airflow, delivering consistent performance.

The STB18, powered by the Honda GX690 V-Twin engine, and the STB18.1, with its B&S 627cc V-Twin engine, both offer exceptional control and precision. The impeller blades, designed with a dynamically balanced configuration, work in perfect harmony to ensure a smooth and even airflow. This precise engineering eliminates any skipping, jerking, or unwanted vibration, providing a seamless and powerful blowing experience.

Area Of Application



Sport



Public facilities



Landscape

Actual product may differ from photos.

**Stand On
Leaf Blower**

DTBH22

✓ Dual HYDROSTATIC



MASSIVE AIR OUTPUT

165km/h 102.5mph
170m³/min 6000cfm



ALL-IN-ONE COMMAND CENTER

EVERYTHING AT YOUR FINGERTIPS. THE PANEL FEATURES INTUITIVE CONTROLS INCLUDING THE NDS, IGNITION SWITCH, PTO SWITCH, THROTTLE, AND CHOKE. IT EMPOWERS YOU WITH COMPREHENSIVE COMMAND OVER YOUR EQUIPMENT'S PERFORMANCE.

ALL-DAY COMFORT SEAT

DON'T LET A LONG DAY LEAVE YOU FEELING SORE. OUR EXTRA-THICK, PLUSH CUSHION IS BUILT TO MINIMIZE OPERATOR FATIGUE, KEEPING YOU COMFORTABLE AND PRODUCTIVE.



Raising the bar. On everything.

Honda GX690 V-Twin Petrol/VANGUARD 17.2 GROSS KW

Performance HP

22HP/23HP

Power

16.3kW/17.2 kW

Displacement(cc)

688cc/627cc

Stand On Leaf Blower SLBH22

HONDA GX690 V-Twin Petrol ✓
VANGUARD 17.2 GROSS KW

Flexible steering ✓
Motion control levers are shaped and
positioned for operator comfort and
ease of control

MASSIVE AIR OUTPUT ✓
252km/h//165mph
127m³/min//4500cfm



MASSIVE AIR OUTPUT

252km/h//165mph
127m³/min//4500cfm

amazing groundclearing power on a
wide variety of surfaces and applica-
tions. Surfaces and Applications



NOZZLE DIRECTION SYSTEM



DUAL HORIZONTAL ROTARY CONTROL

The nozzle orientation system allows for up to 180 degrees of rotation



VERTICAL TILT CONTROL

Adjust the tilt of the discharge nozzle up to 16 degrees, lower to
help loosen and blow off stubborn debris, or higher to prevent
blowback.



STAND-ON LEAF BLOWER



Model Number		SLBH22	SLBV23
ENGINE	Engine	Honda GX690 V-Twin Petrol	VANGUARD 17.2 GROSS KW
	Performance HP	22HP	23HP
	Performance kW	16.5kW	17.2kW
	Displacement(cc)	688cc	627cc
	Fuel Tank Capacity (L)	15L	15L
IMPELLER	Certification	CE/EPA/Euro5	CE/EPA/Euro5
	Impeller Blades	6pcs	6pcs
	Impeller Diameter(mm)	18inch/475mm	18inch/475mm
	Impeller Construction	All-steel, welded, 6-blade, dynamically balanced	All-steel, welded, 6-blade, dynamically balanced
	Air Velocity(km/h mph)	252km/h/ 165mph	252km/h/ 165mph
	Air flow(m³/min cfm)	127m³/min/ 4500cfm	127m³/min/4500cfm
	Air Dischanerge Locations	180 freely-rotating	180 freely-rotating
DRIVE SYSTEM	Air Dischanarge Control	Electric Joyshick	Electric Joyshick
	Drive Type	Dual HYDROSTATIC	Dual HYDROSTATIC
	Electric Clutch	Yes	Yes
	Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100
	Parking Brake	Manual	Manual
	Number of Speeds	Infinitely Variable	Infinitely Variable
	Forward Speed(kW/h)	14.4kph/9mph	14.4kph/9mph
DIMENSIONS	Front Tyre Type	Pneumatic	Pneumatic
	Real Tyre Type	Pneumatic	Pneumatic
	Front Wheel Tyres(inch)	11*4-5	11*4-5
	Rear Wheel Type	18*9.5-8 Turf	18*9.5-8 Turf
	Dimensions	1510mm*1070mm*1250mm	1510mm*1100mm*1250mm
	Container Load 40HQ	28pcs	28pcs
	Container Load 20GP	6pcs	6pcs

ALL SPECIFICATIONS

Model Number		DTBH22	DTBV23	
DRIVE SYSTEM	ENGINE	Honda GX690 V-Twin Petrol	VANGUARD 17.2 GROSS KW	
	Performance HP	22HP	23HP	
	Performance kW	16.5kW	17.2 kW	
	Displacement(cc)	688cc	627cc	
	Fuel Tank Capacity (L)	15L	15L	
	Certification	CE/EPA/Euro5	CE/EPA/Euro5	
	IMPELLER	Impeller Blades	25PCS	25PCS
	Impeller Diameter(mm)	358mm	358mm	
	Impeller Construction	Ducted Fan	Ducted Fan	
	Air Velocity(km/h mph)	165km/h/ 102.5mph	165km/h/ 102.5mph	
	Air flow(m³/min cfm)	170m³/min/ 6000cfm	170m³/min/ 6000cfm	
	Air Dischanerge Locations	Pivot 360 Degrees	Pivot 360 Degrees	
	Air Dischanerge Control	Electric Joyshick	Electric Joyshick	
	Drive Type	Dual HYDROSTATIC	Dual HYDROSTATIC	
	Electric Clutch	Yes	Yes	
	Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	
	Parking Brake	Manual	Manual	
	Number of Speeds	Infinitely Variable	Infinitely Variable	
	Forward Speed(kW/h)	14.4kph/9mph	14.4kph/9mph	
	DIMENSIONS	Front Tyre Type	Air-Free	Air-Free
	Real Tyre Type	Pneumatic	Pneumatic	
	Front Wheel Tyres(inch)	13*6.5-6/4.50	13*6.50-6/4.50	
	Rear Wheel Type	22*10-10 Turf	22*10-10 Turf	
	Dimensions	2180mm*1120mm*1190mm	2180*mm1120mm*1190mm	
	Container Load 40HQ	30pcs	30pcs	
	Container Load 20GP	6pcs	6pcs	

Stand On Leaf Blower

INDUSTRIAL-GRADE POWER



EXACT STANDARDS PROVEN DESIGN

Ground tracking systems Provides smooth and quiet operation and reduces heat build-up for extended durability and improved fuel efficiency,provide smooth operation

Forward Speed	INPUT SPEEDS	OUTPUT TORQUE
14.4kph/9mph	3600 /1800 rpm	up to 500 lb-ft [up to 677 Nm]

Raising the bar. On everything.

HONDA GX690

(OPTIONAL) VANGUARD 17.2 GROSS KW

Performance HP	Power	Displacement(cc)
23HP	16.5kW	688cc

PREPARE TO BE BLOWN AWAY

GOLF GREEN EAGLE



BORN FOR LANDSCAPING



Lawn Aerator



Electric Cylinder Mower



Wood Chipper

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Andy Xu

+86 133 5446 6866
andyxu@jadeequipments.com

Alice Feng

+86 132 5642 9315
frx@jadeequipments.com

Grace Si

+86 152 7588 1673
grace@jadeequipments.com

Selina Yu

+86 176 6356 1716
selinayu@jadeequipments.com

Fila Liu

+86 132 8759 1357
fila@jadeequipments.com

Address Yujiindustrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City